MASONITE®

INTERIOR DOORS



Open to extraordinary™

WINDOWS WE ARE EST 1973

MASONITE®

Open to extraordinary™

Masonite is committed to delivering unsurpassed performance in interior and exterior doors and glass products. We provide much more than a door; we deliver a total experience, giving you a complete line of products, services and support tools designed to enhance curb appeal and the interior aesthetics of a home.

We are your leading source for the latest trend insights and design ideas, delivering distinctive doors that complement any style and personal taste. From the crisp, clean lines of our Heritage Series™ to the versatility of our molded panel collection, we offer a breadth of interior doors to meet any design, performance and material need. It's never been easier to find the perfect door for your home.



WINDOWS WE ARE EST 1973

Unique. Versatile. Timeless.

INTRODUCING THE LIVINGSTON™ p04



Interior Doors // 02

Safe 'N Sound. // 03

Livingston™ // 04

Heritage Series™ // 06

West End Collection. // 08

Molded Panel Doors // 10

Flush Series // 12

Barn Door Hardware // 14

Emerald. "Green" Doors // 15

Design and Size Options // 16


WINDOWS WE ARE EST 1973

Interior Doors

AT A GLANCE

Our dedication to superior craftsmanship allows us to deliver unsurpassed quality and value in interior doors. We offer a comprehensive selection of door styles—all crafted with exacting attention to detail.

LIVINGSTON™




- **Unique, versatile, and timeless design perfect for any style of home.**




HERITAGE SERIES™



- **Celebrate traditional craftsmanship with clean lines that blend seamlessly with their surroundings.**



WEST END COLLECTION™



- **Embrace the beauty of minimalism with the sophisticated, streamlined look of embossed lines.**



Masonite™, "Masonite. Open to extraordinary.™" Safe 'N Sound™, Berkley™, Cheyenne™, Emerald™, Heritage Series™, Lincoln Park™, Logan™, Melrose™, Riverside™, Livingston™, West End Collection™ and Winslow™ are trademarks of Masonite International Corporation. Doors made using patents 6,588,162 (US), 5,543,234 (US) and 2,151,989 (CA). Additional Patents Pending. Our continuing program of product improvement makes specification, design and product detail subject to change without notice.
01/19 PRINTED IN THE USA © 2019 by Masonite International Corporation

WINDOWS WE ARE EST 1973

Safe 'N Sound.

THE NEW STANDARD

SOLID CORE DOORS

We are on a mission to put solid core doors in every home. Made of solid material all the way through, they feel more substantial and block sound more effectively. For minimal cost, solid core doors create a dramatic improvement in overall quality.

- **Solid core doors are SOUND REDUCING They block sound more efficiently than hollow doors.**
- **Solid core doors are simply built better with a strength you can FEEL the moment you open the door.**
- **Solid core doors are DURABLE, able to withstand the dents and dings of normal wear.**

MOLDED PANEL DOORS



- Add a defining element to any space with familiar designs that offer timeless appeal.



WINDOWS WE ARE EST 1973

Unique. Versatile. Timeless.



Featuring an authentic recessed panel with a touch of rich detailing

The Livingston™ door instantly transforms any interior with a unique profile that is universally appealing. Set yourself apart by choosing the only interior door designed to make a lasting statement.

WINDOWS WE ARE EST 1973

INTRODUCING THE LIVINGSTON™




Masonite's exclusive new design is making homeowners

STOP AND TAKE NOTICE OF THEIR DOORS.

- Unique, versatile and timeless design perfect for any style of home
- Smooth, primed surface ideal for painting
- Full range of passage and bifold doors
- Safe 'N Sound® solid core construction available for better durability, sound reduction and the heft and feel of a wood door
- 20-minute fire-rating doors available for select heights & designs (1-3/4" width only)

masonite WINDOWS WE ARE EST 1973





Lincoln Park®



Logan™



Winslow™

WINDOWS WE ARE EST 1973

HERITAGE SERIES™

AUTHENTIC ARCHITECTURAL DETAIL









- Clean lines convey traditional craftsmanship and blend seamlessly into surroundings
- Smooth, primed surface ideal for painting
- Full range of passage and bifold doors
- Safe 'N Sound® solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)

WINDOWS WE ARE EST 1973

West End Collection® / Berkley®



Berkley®



Melrose®

West End Collection® is not available for use with double doors applications.

Due to our manufacturing process, the horizontal alignment for our bifolds may fall within a 3/16" tolerance.

WINDOWS WE ARE EST 1973

WEST END COLLECTION®


West End Collection® / Melrose®




West End Collection® / Melrose®

- A streamlined look and sophisticated, embossed lines embody minimalism
- Smooth, primed surface ideal for painting
- Full range of passage and bifold doors
- Safe 'N Sound® solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)

masonite WINDOWS WE ARE EST 1973

2 Panel Square




2 Panel
Smooth



2 Panel Roman
Smooth



Cheyenne
2 Panel
Camber-Top Plank
Smooth



2 Panel Arch-Top
Smooth or Textured



4 Panel
Smooth




6 Panel
Smooth or Textured



Riverside
5 Panel Equal
Smooth

WINDOWS WE ARE EST 1973

MOLDED PANEL DOORS




Riverside® / 5 Panel Equal Smooth





Cheyenne / 2 Panel Camber-Top Plank

- Familiar designs with universal appeal add a defining element to any space
- Perfect for painting
- Full range of passage and bifold doors
- Safe 'N Sound® solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)



masonite WINDOWS WE ARE EST 1973




▶ Flush Series / Oak



Oak



Birch



Hardwood



Primed MDF

WINDOWS WE ARE EST 1973

FLUSH SERIES

DURABLE. LOW MAINTENANCE.



Flush Series / Primed MDF Gray





Flush Series / Primed MDF

- Simple, flush design provides a clean, contemporary look
- Primed MDF or wood veneer available

Barn Door Hardware



HARDWARE OPTIONS



Straight Strap
Matte Black



Bent Strap
Matte Black



Top of Door Strap
Stainless Steel

Finish Options



Stainless Steel



Matte Black

- Barn doors are not only functional, but can instantly transform and add character to any space such as pantries, laundry rooms, closets, offices and master bathrooms.
- Choose from three easy-to-install track options to create flexible interior spaces packed with character.
- Barn doors are only available in Safe 'N Sound Solid Core Door Construction—meaning they are durable, sound reducing and have the heft and feel of a solid wood door.

WINDOWS WE ARE EST 1973

Eco-Friendly Engineered Emerald® "Green" Doors



LEED V4 Assessment For "Green Association & Certification Cross Reference"

LEED V4 CREDIT	SAFE 'N SOUND® EMERALD®		HOLLOW CORE EMERALD	
	Molded Panel	Flush Primed MDF	Molded Panel	Flush Primed MDF
Home				
Environmentally preferable products	•	•	•	•
Low-emitting products	•		•	•
New Construction				
Building product disclosure and optimization—sourcing of raw materials	•	•	•	•
Low-emitting materials	•	•	•	•
Acoustic performance	•	•		


TECHNICAL & SUPPORT INFORMATION ON EMERALD® "GREEN"

- This product contributes to satisfying the credits of the U.S. Green Building Council's LEED® Green Building Rating System™. For current applicable LEED® standards, visit www.usgbc.org.
- Evaluations of Green Certifications are provided as a courtesy for Masonite customers. Further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- USGBC® and LEED® are registered trademarks of the U.S. Green Building Council.

Note: Not all designs are available in Emerald® offering; contact Masonite for the complete product offering.
The above referenced certifications are based on the following versions: LEED NC-3.0 / LEED H-2008 / LEED V4-2015.
For technical specification information, visit masonite.com or contact us at 1-800-663-DOOR (3667).

masonite WINDOWS WE ARE EST 1973

Design & Size Options

LIVINGSTON™		PASSAGE												BIFOLDS								
		12″	14″	15″	16″	18″	20″	24″	26″	28″	30″	32″	34″	36″	18″	24″	28″	30″	32″	36″	48″	60″	72″
LIVINGSTON™ (3 PANELS)																							
 Commercial 10″ Bottom Rail	Smooth 80″	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
	Smooth 84″	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
	Smooth 96″	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•

HERITAGE SERIES.		PASSAGE												BIFOLDS								
		12″	14″	15″	16″	18″	20″	24″	26″	28″	30″	32″	34″	36″	18″	24″	28″	30″	32″	36″	48″	60″	72″
LINCOLN PARK. (1 PANEL)																							
 Commercial 10″ Bottom Rail	Smooth 80″	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
	Smooth 84″	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
	Smooth 96″	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
LOGAN™ (2 PANELS)																							
 Commercial 10″ Bottom Rail	Smooth 80″	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
	Smooth 84″	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
	Smooth 96″	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
WINSLOW. (3 PANELS)																							
 Commercial 10″ Bottom Rail	Smooth 80″	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
	Smooth 84″	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•

WEST END COLLECTION.		PASSAGE												BIFOLDS								
		12″	14″	15″	16″	18″	20″	24″	26″	28″	30″	32″	34″	36″	18″	24″	28″	30″	32″	36″	48″	60″	72″
BERKLEY.**																							
	Smooth 80″	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•		•		•		•			
	Smooth 84″	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•		•		•		•			
MELROSE.**																							
	Smooth 80″	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•	•	•		•		•			
	Smooth 84″	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•	•	•		•		•			

*Thinner outer style will not affect functionality.

**Not for use with double doors.

Note: 48″, 60″ and 72″ bifolds are achieved by doubled 24″, 30″ and 36″ bifolds.

Molded Panel Doors Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8″ backset on the lock hole and a 2-1/8″ diameter bore, the outer stile measurements must be no less than 3-7/16″ wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available as textured only.
Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability.

WINDOWS WE ARE EST 1973

MOLDED PANEL DOORS	PASSAGE														BIFOLDS									
	12″	14″	15″	16″	18″	20″	24″	26″	28″	30″	32″	34″	36″	42″	16″	18″	24″	28″	30″	32″	36″	48″	60″	72″
2 PANEL ARCH-TOP																								
Smooth 80″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
Textured 80″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
Smooth 84″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
Smooth 96″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
2 PANEL ROMAN SMOOTH																								
Smooth 80″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
Smooth 84″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
Smooth 96″					•	•	•	•	•	•	•	•	•						•	•	•		•	•
CHEYENNE																								
Smooth 80″	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
Smooth 96″	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
2 PANEL																								
Smooth 80″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
Smooth 84″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
Smooth 96″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
4 PANEL																								
Smooth 80″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
Smooth 84″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
Smooth 96″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
RIVERSIDE																								
Smooth 80″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
Smooth 84″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
6 Panels Smooth 96″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
6 PANEL																								
Smooth 80″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
Textured 80″	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•
Smooth 84″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
Textured 84″								•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
Smooth 96″	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
Textured 96″								•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
2 PANEL COMMERCIAL																								
Smooth 80″ (Commercial 10″ Bottom Rail)										•	•	•	•											
Smooth 84″ (Commercial 10″ Bottom Rail)										•	•	•	•											
6 PANEL COMMERCIAL																								
Smooth 80″ (Commercial 10″ Bottom Rail)										•	•	•	•	•										
Smooth 84″ (Commercial 10″ Bottom Rail)										•	•	•	•	•										

FLUSH SERIES	PASSAGE													BIFOLDS								
	12″	14″	15″	16″	18″	20″	24″	26″	28″	30″	32″	34″	36″	18″	24″	28″	30″	32″	36″	48″	60″	72″
80″, 84″, 96″ Heights																						
MDF																						
Primed	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
VENEER																						
Oak, Birch, Hardwood	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

WINDOWS WE ARE EST 1973

MASONITE®

Open to extraordinary.™

1-800-663-DOOR
9am to 5pm / Monday through Friday, EST
masonite.com



Max

Masonite Xpress Configurator™

In just a few clicks, browse thousands of door styles and glass options to create your dream door.

Cover: Livingston.
Back Cover: Heritage Series, Winslow.

⚠**WARNING:** This product can expose you to chemicals including wood dust, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

MIC-18161 / MA-IDC

WINDOWS WE ARE EST 1973